

Connection Box CBO 20



General Data

- ◆ Case material: Polyester, glass-fibre reinforced, halogen-free
- ◆ Internals: Mounting sockets with M4 / M6 threaded inserts in enclosure base with 35 mm DIN rail
- ◆ Ingress protection: IP 66 according to EN 60529:2000
- ◆ Finish: RAL 7032 grey, surface resistance > 10⁹ Ω
- ◆ Gasket: Chloroprene (CR) string gasket
- ◆ Mounting: Mounting screws outside enclosure interior
- ◆ Operating temperature: -30°C ... +90°C
- ◆ Cable glands: Metric, with O-Ring
- ◆ Weight: 1,6 ... 1,8 kg (depending on configuration)
- ◆ Dimensions: 244,0 x 164,0 x 101,0 mm, without cable glands (w x h x d)

Combustion behaviour




- ◆ UL 94 V-0, self-extinguishing
- ◆ EN 60695-11-10 / IEC 60695-11-10
- ◆ VDE 0471 part 11-10
- ◆ CSA C 22.2

Ordering Information


- ◆ **Interconnection Box CBO 20/0** Art.-no.: **62-2000534-00-00**
To link two **SEC 20** sensor cables
- ◆ **Connection Box CBO 20/1** Art.-no.: **62-2000535-00-00**
To link a **SEC 20** sensor cable with a **CC 20** connection cable
- ◆ **Connection Box CBO 20/3** Art.-no.: **62-2000536-00-00**
To link up to three **SEC 20** sensor cables with up to two **CC 20** connection cables


Scope of Delivery

- ◆ **CBO 20/0**, including mounting materials, metric cable glands and connection materials
- ◆ **CBO 20/1**, including one connection module **CCM 3000_D**, mounting materials, metric cable glands and connection materials
- ◆ **CBO 20/3**, including two connection modules **CCM 3000**, mounting materials, metric cable glands and connection materials



Connection schemes and Dimensions





Securiton AG
 Alarm and Security Systems
 Alpenstrasse 20, CH-3052 Zollikofen
 Tel. +41 31 910 11 22, Fax +41 31 910 16 16
 www.securiton.com, info@securiton.com

Securiton GmbH
 Alarm and Security Systems
 Sales Department Germany
 Von-Drais-Strasse 33, D-77855 Achern/Baden
 Tel. +49 78 41 62 23-0, Fax +49 78 41 62 23-10
 www.securiton.de, info@securiton.de

LISTEC® and LIST® are registered trade marks

Subject to change without prior notice!

Manufacturer: LISTEC GmbH • Am Sandberg 34 • D-84424 Isen
 Tel. +49 (0) 8083 5385-0 • Fax +49 (0) 8083 5385-20
 www.listec-gmbh.de • info@listec-gmbh.de
 A company of the Swiss Securitas Group